



Manufactured & Assembled in Hiawatha, Kansas U.S.A.

Pliers | Pry Bars | Punches | Chisels | Screwdrivers | Wrenches | Gasket Scrapers | Sets
Hand Tools for Plumbing, Automotive, Electrical, Industrial, Agriculture & Service Professionals.



WILDE TOOL CO., INC.

2021 Product Catalog | Printed in U.S.A.



Manufacturers of the Original Angle Nose Pliers



THE ORIGINAL ANGLE NOSE PLIERS


Nearly 100 years ago in Kansas City, Missouri, brothers Paul and Otto Froeschl thought of an idea for the ordinary straight-nose pliers; angle the nose 32 degrees to create greater leverage and gripping power. Thus was born the original Wilde Wrench, the first pair of angle nose pliers granted U.S. Patent #1,800,447.

During this time, the name Wilde had become synonymous with quality hand tools and was fondly trademarked *The Pliersmiths™*. The original Wilde Wrench is as practical and useful today as it was a decade ago. This is a testimony to the soundness of an idea and design which produced the first pliers of its kind. Today, the third and fourth generation of the founders continue to produce quality hand tools.

THE WILDE LINE

Wilde Tool has been manufacturing quality hand tools in downtown Kansas City and Northeast Kansas since 1922. The founders of the company invented the original angle-nose pliers and were granted the US Patent you see below. Prior to 1928, majority of pliers were straight-nose. Otto Froeschl's idea to angle the nose for more leverage was developed while working in a scissor factory in Kansas City. His idea has been adopted by many manufacturers and is now a standard design for pliers worldwide.

Wilde Tool is committed to manufacturing the best hand tools in the world by maintaining American standards used for decades in the steel industry. Every drop forging, press straightening, hand sharpening, precision polish, and tool assembly is done by an American professional.



LIFETIME WARRANTY

WILDE® tools are carefully forged from the finest alloy steels. They are scientifically heat treated to give long life and satisfactory service when used on the work for which they were designed and intended. **WILDE®** tools are unconditionally guaranteed against defects in material or workmanship. Any tool under warranty will be cheerfully replaced or repaired free of charge when returned to the factory for inspection, transportation charges prepaid. This guarantee does not apply if inspection shows that the tool has been worn out from use, misuse, abused by hammering, used on an over or undersized fastener, or if design has been changed by grinding or heating. Wilde Tool Co., Inc. makes no other warranties, expressed or implied.

QUICK INDEX w/ PAGE NUMBERS

PLIERS

Angle Nose	3
Battery	5
Belt Plier Pouch	5
Welding	5
Diagonal Cutters	6
Display Box	4
Electrical Stripper	14
Linesman	6
Lock Ring	6
Needle Nose	6
Pipe Wrench Pliers	4
Slip Joint	4
Retaining Ring	13-14
Tongue & Groove	4-5

WRENCHES

Offset Box	16
Ratcheting Box	15-16
Refrigeration	16

PUNCHES CHISELS PRY BARS

Bars	8 & 12
Brass Punches	8
Brick Set	9
Chisels	9-11
Displays	11
Floor Chisel	9
Gunsmith Punch Set	10
Handle Pry Bars	12
Punches	7-8, 10-11
Roll Spring Punches	8
Sets	10-11
Pry Bay Rack	12

SCREWDRIVERS

Phillips	17
Sets	17
Slotted	17
Wooden Handle	17
6-in-1	17
Pocket	17

AUTOMOTIVE, PLUMBING,

ELECTRICAL & INDUSTRIAL

Battery Pliers	5
Welding Pliers	5
Cotter Key Extractor	11
Gasket Scrapers	11
Hex Keys	18
Hook & Pick Set	19
Ignition Gauges	19
Inspection Mirrors	20
Internal Pipe Wrench	15
Lock Ring Pliers	6
Magnet Pick-Up	19-20
Mechanical Finger	20
Retaining Ring Pliers	13-14
Scratch Awls	18
Screw Extractors	18
Valve Lifter	19
Wilde Wipes	16
Wire Strippers	14

 **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

QUALITY HAND TOOLS

The experience and knowledge acquired in nearly 100 years of manufacturing quality hand tools is incorporated into every **WILDE®** tool. Pioneers in the use of alloy steels and exacting methods of hardening and tempering, we have produced lighter, stronger and longer-lasting tools over the years. Hand tools are the instruments with which a professional earns his or her living and when properly designed, heat-treated and finished, they are the means of better and easier work and the source of satisfaction that comes from a job well done.




WILDE® provides your customers fine tools at reasonable prices. They meet the desire for the best. Value and price consistent with quality has forever been our watchword. The true value of a tool is not determined by the purchase-price alone, but by its efficiency and the length of time it renders satisfactory service. Quality remaining long after price is forgotten has been the experience of **WILDE®** hand tool users and is expressed by thousands of unsolicited comments, letters, and e-mails from all over the world.

Every hand tool in this catalog is manufactured and assembled in the U.S.A. with a lifetime warranty.

ANGLE NOSE SLIP JOINT PLIERS

PLASTIC GRIPPED HANDLES ARE INTENDED FOR COMFORT & GRIP. THEY ARE NOT INTENDED FOR PROTECTION AGAINST ELECTRIC SHOCK.

GRIPPED & POLISHED

	PART #	OAL	ADJ	JAW	INFORMATION	HANDLE	
	G250	5"	3	1/2"	IGNITION	RED GRIPS	
G250P	G251P	6-3/4"	3	3/4"	WIRE CUTTER	RED GRIPS	
	G251FP	6-3/4"	3	3/4"	FLUSH FASTENER	RED GRIPS	
G251P	G253P	10"	7	2-1/8"	WATER PUMP	RED GRIPS	
	G428N	10"	7	2-1/8"	SMOOTH JAW	RED GRIPS	
G253P	G254P	11"	7	2-1/8"	NOTCHED NOSE	RED GRIPS	
	G256PSP	3-PIECE SET W/ VINYL POUCH (G250P, G251P & G253P)					

SETS (CLAMSHELL PACKAGING – NO POUCH)

G255P	2-PIECE PLIERS SET (G251P & G253P)
G256P	3-PIECE PLIERS SET (G250, G251P & G253P)

G256P



KNURLED

	11S	11"	7	2-1/8"	NOTCHED NOSE	KNURLED
--	------------	-----	---	--------	--------------	---------

Angle-Nose Pliers

Jaws are milled with deep, self-gripping pipe wrench style teeth. Bolts are hardened. The 10" and 11" are equipped with a **Grip Tight Clip™** which pulls the bolt into positive alignment in its slot when pliers are under pressure. The 11" has a **Notched Nose** which fits vertical rib on basket strainer nut as well as hub caps and dust covers. The 428N has a **Smooth Jaw**, intended to prevent marring on brass, copper, chrome, nickel, PVC and other materials. The G251P, G262P, G263P, and G264P have a **Wire Cutter** in the throat of the pliers.

Note: The Flush Fastener nut and bolt is NOT guaranteed to withstand use against cutting #9 or larger gauge wire.



GRIP TIGHT CLIP™



NOTCHED NOSE






SMOOTH JAW



WIRE CUTTER

COMBINATION SLIP JOINT PLIERS GRIPPED & POLISHED

PLASTIC GRIPPED HANDLES ARE INTENDED FOR COMFORT & FIRM GRIP. THEY ARE NOT INTENDED FOR PROTECTION AGAINST ELECTRIC SHOCK.

	PART #	OAL	ADJ	INFORMATION	HANDLE
 G262P	G262P	6-1/2"	2	WIRE CUTTER	RED GRIPS
	G262FP	6-1/2"	2	FLUSH FASTENER	RED GRIPS
 G263P	G263P	8"	2	WIRE CUTTER	RED GRIPS
	G263FP	8"	2	FLUSH FASTENER	RED GRIPS
 G264P	G264P	10"	2	WIRE CUTTER	RED GRIPS
	G264FP	10"	2	FLUSH FASTENER	RED GRIPS
	G258SPD	3-PIECE SET W/ VINYL POUCH (G262P, G263P & G264P)			

NOTE: THE G262 & G263 PLIERS ARE AVAILABLE IN A MORE-AFFORDABLE NON-POLISHED (SATIN) VERSION.

LOBSTER CLAW TEETH

The Lobster Claw Teeth design on Wilde Combination Slip-Joint Pliers provides two gripping sections, one extra wide and one small. The extra hardened, deep, sharply cut teeth provide greater grip and longer wear. All pliers have a hardened alloy steel bolt and shear cutter.



PLIERS BOX DISPLAYS 12-PIECE SET 3 SKUS | 4 EACH



DB71-3F
(G263FP, G262FP & G251FI)




D
(G263P, G262P & G251FI)

Flush Fastener





Counter-sunk nut and bolt fastener allows pliers to be completely flush. Adjustments can be made in the field with a hex key. Look for the Flush Fastener designation under the INFORMATION tab above.



PIPE WRENCH PLIERS POLISHED FACE | 90° NOSE CREATES 20% MORE LEVERAGE

	PART #	OAL	ADJ	JAW	INFORMATION	HANDLE
	G289P	12-3/4"	8	2-3/4"	SLIP-JOINT	RED GRIPS

TONGUE AND GROOVE PLIERS GRIPPED & POLISHED

	PART #	OAL	ADJ	JAW	INFORMATION	HANDLE
 G270P	G270P	7"	5	7/8"	BELT PLIERS	RED GRIPS
	G270FP	7"	5	7/8"	FLUSH FASTENER	RED GRIPS
 G272P	G271P	10"	5	1-1/2"	ALL PURPOSE	RED GRIPS
	G271FP	10"	5	1-1/2"	FLUSH FASTENER	RED GRIPS
 G274P	G272P	12-3/4"	7	2-5/8"	MOST POPULAR	RED GRIPS
	G272FP	12-3/4"	7	2-5/8"	FLUSH FASTENER	RED GRIPS
	G274P	16"	11	4-1/4"	SIZE NEEDED	RED GRIPS
	G274FP	16"	11	4-1/4"	FLUSH FASTENER	RED GRIPS
 G276P	G259PSP	2-PIECE SET (G271 & G262P)				

Tongue & Groove Pliers

Jaws are milled with deep, self-gripping pipe wrench style teeth. Accurately machined tongue fits and pivots in any of the precision machined grooves eliminating strain and wear on the bolt.

SOME PLIERS AVAILABLE IN BLACK OXIDE AND ZINC FINISH. REFERENCE PRICE SHEET FOR AVAILABILITY.

BATTERY PLIERS



PART #	OAL	INFORMATION	HANDLE
G410P	7-1/2"	3 POINTS OF PRESSURE	RED GRIPS

Fixed joint self-gripping pliers. Three sets of teeth engage the work giving additional holding power on round rods or worn battery bolts. Plastic grips. Polished jaw.

WELDING PLIERS



PART #	OAL	INFORMATION	HANDLE
G435P	9"	FLUSH CUT	RED GRIPS

BELT PLIERS POUCH



A67

BELT PLIERS POUCH MADE OF HEAVY DUTY TOP GRAIN LEATHER. TUNNEL BELT LOOP FITS 2-1/8" BELT. DOUBLE RIVET REINFORCEMENT.

NEEDLE NOSE PLIERS

PLASTIC GRIPPED HANDLES ARE INTENDED FOR COMFORT & FIRM GRIP. THEY ARE NOT INTENDED FOR PROTECTION AGAINST ELECTRIC SHOCK.



G6160P

PART #	OAL	INFORMATION	HANDLE
G6160P	6"	WIRE CUTTER	RED GRIPS

LINESMAN PLIERS



G6360P

G6360P	8"	SQUARE NOSE	RED GRIPS
--------	----	-------------	-----------

DIAGONAL CUTTING PLIERS



G6540P

G6540P	6"	STANDARD DESIGN	RED GRIPS
G6580P	7"	HEAVY DUTY	RED GRIPS

Solid-Joint Pliers

Jaws are milled with sharp, accurate teeth. Induction hardened cutting edges are equally aligned for precision cut. All cutting pliers are designed with near-flush cutting action. Accurately machined joints assembled with a permanent rivet for strength and precision movement. Pliers with teeth on inside joint are milled parallel with plier halves for perpendicular grab while pulling wire, fish tape, etc.

LOCK RING PLIERS



G407P

G705.B

PART #	OAL	JAW	FEATURE	HANDLE
G407	9"	1-1/2"	STRAIGHT TIP	RED GRIPS
G408	9"	1-1/2"	THIN ANGLE TIP	RED GRIPS
G409	9"	1-1/2"	ANGLE TIP W/ DIMPLE	RED GRIPS
G705	10"	1-1/8"	PARALLEL OPENING	RED GRIPS

NOTE: POINTS & TIPS ARE NOT GUARANTEED UNDER WARRANTY

Lock Ring Pliers

Spreads, removes, and installs ring without holes. Deep knurled jaws hold rings securely. Spring action closes jaw used on brakes, transmissions, pedal shifts, clutch shafts, farm equipment, and machine tools. Can also be used to spread piston rings. **POINTS ARE NOT GUARANTEED.** G407P and G409P designs available with both Polished and Black Oxide coating finishes.



G407 TIP



G408 TIP



G409 TIP



G705 TIP

PUNCHES

INDIVIDUALLY HEAT-TREATED BY ELECTROMAGNET INDUCTION

PART #	POINT	LENGTH	STOCK SIZE
--------	-------	--------	------------

PIN PUNCHES



PP 232	1/16	4-1/4	1/4
PP 564	5/64	4-1/2	1/4
PP 332	3/32	4-3/4	1/4
PP 432	1/8	5	5/16
PP 532	5/32	5-1/4	5/16
PP 632	3/16	5-1/2	5/16
PP 732	7/32	7	3/8
PP 832	1/4	7	3/8
PP1032	5/16	7	1/2
PP1232	3/8	7	1/2

Pin Punches

Pin punches are designed to drive a work piece out only after the work piece has been started with a solid or long taper punch; avoid side pressure. Wilde Pin Punches are also designed with a reverse-taper shaft to avoid becoming lodged in the work-piece.

LONG PIN PUNCHES



PPL 632	3/16	9	5/16
PPL 832	1/4	9	3/8
PPL1032	5/16	9	1/2

LONG TAPER PUNCHES



PLT 432	1/8	8	3/8
PLT 532	5/32	8-1/2	1/2
PLT 632	3/16	9	1/2
PLT 732	7/32	9-1/2	1/2
PLT 832	1/4	11	5/8
PLT1032	5/16	11	5/8
PLT1232	3/8	11	3/4

CENTER PUNCHES



PC 832	3/32	4-1/4	1/4
PC1032	1/8	4-1/2	5/16
PC1232	5/32	5	3/8
PC1432	3/16	5-1/2	7/16
PC1632	1/4	6	1/2

Center Punches

Center Punches are designed to mark the starting point in the workplace, usually for drill bits.

PRICK PUNCHES




PR 832	3/32	4-1/4	1/4
PR1232	5/32	5	3/8
PR1632	1/4	6	1/2

Prick Punches

Prick Punches are designed to mark a deep, fine starting point.

SOLID PUNCHES



PART #	POINT	LENGTH	STOCK SIZE
PS 232	1/16	4-1/2	5/16
PS 332	3/32	4-1/2	5/16
PS 432	1/8	4-1/2	5/16
PS 532	5/32	5	3/8
PS 632	3/16	5	3/8
PS 732	7/32	5-1/2	1/2
PS 832	1/4	6	1/2
PS1032	5/16	7	5/8
PS1232	3/8	8	3/4

Roll Spring Punches

Designed with a pilot point that fits into the hollow center of the roll pin, holding the driving shoulder of the punch in perfect contact position. Pins are quickly and easily removed without damage to wall of hole or pin.

LINE UP BARS




LB 632	3/16	12	3/8
LB 732	7/32	14	1/2
LB 832	1/4	16	5/8
LB1032	5/16	18	3/4

NAIL SETS



NS 132	1/32	4	3/8
NS 232	2/32	4	3/8
NS 332	3/32	4	3/8

ROLL SPRING PUNCHES



PART #	POINT	LENGTH	PIN LENGTH	STOCK SIZE
RS 232	1/16	4-1/2	1.125	1/4
RS 564	5/64	4-3/4	1.5	1/4
RS 332	3/32	5	1.75	1/4
RS 432	1/8	5-1/2	2.45	5/16
RS 532	5/32	6-1/4	2.65	5/16
RS 632	3/16	6-1/2	3	5/16
RS 732	7/32	6-3/4	3	3/8
RS 832	1/4	7-1/4	3.5	3/8
RS1032	5/16	7-3/4	3.7	1/2
RS1232	3/8	8	4.1	1/2
RS1432	7/16	8-1/2	4.2	5/8
RS1632	1/2	9-1/4	5.05	5/8

BRASS PUNCHES




PART #	POINT	LENGTH
BD2432	3/4	12
BP1232	3/8	6
BP1632	1/2	7
BP2432	3/4	8
BS 832	1/4	4
BS1232	3/8	8
BT1632	1/2	12

Brass Punches


Designed to prevent marring, scratching or damaging on the work-piece. Brass is also non-conductive and should be used to prevent sparking around flammable items. Brass punches are often used to remove lock rings on gas tanks.

CHISELS

INDIVIDUALLY HEAT-TREATED BY ELECTROMAGNET INDUCTION

	PART #	CUT	LENGTH	STOCK SIZE
	CC 832	1/4	4-3/4	1/4
	CC1032	5/16	5	5/16
	CC1232	3/8	5-1/4	5/16
	CC1432	7/16	5-1/2	3/8
	CC1632	1/2	6	3/8
	CC2032	5/8	6-1/2	1/2
	CC2432	3/4	7	5/8
	CC2832	7/8	7-1/2	3/4
	CC3232	1	8	7/8

LONG COLD CHISELS

	CCL1632	1/2	12	3/8
	CCL2432	3/4	12	5/8
	CCL3232	1	12	7/8

DIAMOND POINT CHISELS

	CD 632	3/16	5	3/8
--	--------	------	---	-----

Diamond Point
Designed to cut V-grooves and clean out inside corners.

CAPE CHISELS

	CP 832	1/4	5-1/2	3/8
--	--------	-----	-------	-----

Cape
Designed for cutting keyways, slots, and grooves in metal.

ROUND NOSE CHISELS

	CR 832	1/4	5-1/2	3/8
--	--------	-----	-------	-----

Round Nose
aka Half Round Chisels are designed for cutting grooves in metal where an oval or U-shape is desired.

PUNCH & CHISEL SETS

PUNCHES & CHISELS

K 5 | 5-PIECE PUNCH & CHISEL SET IN VINYL POUCH

3/8" & 5/8" Cold Chisels, 3/8" Center Punch, 3/16" Pin Punch, and 3/16" Solid Punch.

K 8 | 8-PIECE PUNCH & CHISEL SET IN CLAM CASE

3/8", 5/8", & 3/4" Cold Chisels, 3/8" Center Punch, 1/8" & 3/16" Pin Punch, and 3/16" & 1/4" Long Taper Punch.

K12 | 12-PIECE PUNCH & CHISEL SET IN CLAM CASE

3/8", 1/2", & 3/4" Cold Chisels, 3/8" Center Punch, 3/32", 1/8" & 3/16" Pin Punches, 1/8", 3/16" & 7/32" Long Taper Punches, 3/8" Prick Punch, and 1/8" Solid Punch.

K20 | 20-PIECE PUNCH & CHISEL SET IN VINYL ROLL

5/16", 3/8", 1/2", 3/4", & 7/8" Cold Chisels, 3/4" Long Cold Chisel, 1/4" Diamond Point Chisel, 1/4" Cape Chisel, 1/4" Round Nose Chisel, 3/8" Center Punch, 3/32", 1/8", 5/32", & 3/16" Pin Punches, 1/8", 3/16" & 1/4" Long Taper Punches, 3/8" Prick Punch, and 3/32" & 3/16" Solid Punches.

K36 | 36-PIECE PUNCH & CHISEL SET IN MOLDED CASE

Includes 1 Each: 3/8", 7/16", 5/8", & 3/4" Cold Chisels, 3/4" Long Cold Chisel, 5/32" Diamond Point Chisel, 7/32" Cape Chisel, 7/32" Round Nose Chisel, 1/8", 3/16", 7/32", 1/4", & 9/32" Long Taper Punches, 3/8" Center Punch, 1/16", 3/32", 1/8", 5/32", 3/16", 7/32", & 1/4" Pin Punches, 3/16" & 3/8" Long Pin Punches, 5/16" Prick Punch, 1/16", 3/32", 1/8", 1/4", 5/16" Solid Punches, 3/4" Rivet Buster, 1/16", 3/32", 1/8", 5/32", 3/16", & 1/4" Roll Pin Punches.

CHISELS

CC 5 | 5-PIECE COLD CHISEL SET IN VINYL POUCH

5/16", 3/8", 1/2", 5/8" & 3/4" cut sizes.

CC 9 | 9-PIECE COLD CHISEL SET IN VINYL ROLL

1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8" & 1" cut sizes.

CCL 3 | 3-PIECE LONG COLD CHISEL SET IN VINYL POUCH

1/2", 3/4" & 1" cut sizes.

PUNCHES

PLT 5 | 5-PIECE LONG TAPER PUNCH SET IN VINYL POUCH

1/8", 5/32", 3/16", 7/32" & 1/4" point sizes.

PP 5 | 5-PIECE PIN PUNCH SET IN VINYL POUCH

3/32", 1/8", 5/32", 3/16" & 1/4" point sizes.

PPL 3 | 3-PIECE LONG PIN PUNCH SET IN VINYL POUCH

3/16", 1/4" & 5/16" point sizes.

G 6 | 6-PIECE GUNSMITH SET IN VINYL POUCH

1/4" Center Punch, 1/16", 5/64", 3/32" & 1/8" Pin Punches and 3/32" Solid Punch.

PC 3 | 3-PIECE CENTER PUNCH SET IN VINYL POUCH

1/4", 3/8" & 1/2" stock sizes.

RS906 | 6-PIECE ROLL SPRING PUNCH SET IN VINYL POUCH

1/8", 5/32", 3/16", 7/32", 1/4" & 5/16" point sizes.

RS912 | 12-PIECE ROLL SPRING PUNCH SET IN VINYL ROLL

1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16" & 1/2" point sizes.

NS 3 | 3-PIECE NAIL SET IN VINYL POUCH

1/32", 2/32" & 3/32" point sizes.



K20



K5



CC5



PP5

Punches & Chisels

All Wilde punches and chisels are forged from high carbon molybdenum tool steel and individually heat-treated to make them the toughest striking tools on the market.

Wilde punches and chisels are hardened the entire length with a tempered striking end.

Chisel cutting edges are sharpened and re-sharpened to give the keenest points available. Pin punches have a reverse taper point which eliminates the punch from sticking in the work-place.

Chisels are designed to be re-sharpened once they become dull. Care should be taken that excessive heat is not obtained when re-sharpening. If the grinding temperature is not controlled, the hardness can be taken out of the immediate area. More importantly, a hard, brittle surface can be set which is very susceptible to fracture.

Always wear safety goggles when using punches and chisels.

When looking for quality punches and chisels, professionals look for **WILDE®**.

Every hand tool in this catalog is manufactured and assembled in the U.S.A. with a lifetime warranty.

PUNCH & CHISEL DISPLAYS

PART #


RS936 | 36-PIECE ROLL SPRING PUNCH DISPLAY IN MOLDED CASE

Includes 3 each of all 12 Roll Spring Punches.



K312 | 36-PIECE PUNCH & CHISEL DISPLAY WITH 12 SKUs | 3 Each

Includes 3 Each: 3/8", 1/2", & 3/4" Cold Chisels, 3/8" Center Punch, 3/16" & 7/32" Long Taper Punches, 3/32", 1/8", 5/32", & 3/16" Pin Punches, and 1/8" & 5/16" Solid Punches.



K345 | 135-PIECE PUNCH & CHISEL DISPLAY WITH 45 SKUs | 3 Each

Includes Cold Chisels, Long Cold Chisels, Center Punches, Pin Punches, Long Pin Punches, Long Taper Punches, Prick Punches, Roll Spring Punches & Solid Punches.




PUNCH & CHISEL HAND GUARD

PCH 7W

7" PUNCH & CHISEL HOLDER. FITS ALL WILDE STOCK SIZES.




GASKET SCRAPERS

PART #	FACE	OAL	FEATURE	STOCK
 516	1"	11"	POPULAR	1/4"
516-1632	1/2"	11"	THINNEST	1/4"
516-2432	3/4"	11"	THIN	1/4"
 516-5	1"	8"	SHORT	1/4"
516W-4032	1-1/4"	11"	WIDER	5/16"
516W	1-1/2"	11"	WIDEST	5/16"
 516C	1"	10"	CURVED	1/4"
516S	1"	10.5"	OFFSET	1/4"

GS 3 3-PIECE SET, INCLUDES: 1/2", 1" & 1-1/2"

COTTER KEY EXTRACTOR (HOOK TOOL)

PART #	OAL	FEATURE	INFORMATION
 544	7"	PIGTAIL	COTTER KEY
544-12	12"	LONG PIGTAIL	COTTER KEY

NOTE: TIPS & POINTS ARE NOT GUARANTEED UNDER WARRANTY


PRY BARS

HARD CAP HANDLE PRY BARS

(SQUARE STOCK BITS ARE FLUSH WITH HARD CAP)



HPB16-18



HPB 7



PART #	CUT	BAR SIZE	OAL	STOCK SIZE
HPB 8-4 HC	7/16	4"	8"	1/4
HPB12-7 HC	5/8	7"	12"	3/8
HPB12-12 HC	5/8	12"	17"	3/8
HPB16-18 HC	11/16	18"	25"	1/2
HPB16-24 HC	11/16	24"	31"	1/2
HPB20-28 HC	7/8	28"	36"	5/8
HPB20-38 HC	7/8	38"	45"	5/8

HPB 3-SQ HC 3-PIECE SET
 12" Pry Bar with 7" exposed bar (HPB12-7.B/MP HC)
 17" Pry Bar with 12" exposed bar (HPB12-12.B/MP HC)
 25" Pry Bar with 18" exposed bar (HPB16-18.B/MP HC)

HPB 2-RH1 3-PIECE SET
 8" Pry Bar with 4" exposed bar (HPB 8-4.B/MP HC)
 12" Pry Bar with 7" exposed bar (HPB12-7.B/MP HC)
 15" ROLLING HEAD PRY BAR (RH1632.B/MP)


HPB 7/DB 7-PIECE SET
 8" Pry Bar with 4" exposed bar (HPB 8-4.B/MP HC)
 12" Pry Bar with 7" exposed bar (HPB12-7.B/MP HC)
 17" Pry Bar with 12" exposed bar (HPB12-12.B/MP HC)
 25" Pry Bar with 18" exposed bar (HPB16-18.B/MP HC)
 31" Pry Bar with 24" exposed bar (HPB16-24.B/MP HC)
 36" Pry Bar with 29" exposed bar (HPB20-28.B/MP HC)
 Metal Pry Bar Rack w/ 6 Slots (5.00410)

BLACK OXIDE FINISH ON BARS W/ RED HANDLE

5.00410 PRY BAR METAL RACK WITH 6 SLOTS


PART #	OAL	STOCK SIZE	STOCK TYPE
JB1632	14"	1/2"	HEX
JB2032	16"	5/8"	HEX
JB2432-24	24"	3/4"	HEX
JB2832	30"	7/8"	HEX

JIMMY BARS



JB2032

ROLLING HEAD



RH2032

RH1232-9	9"	3/8"	HEX
RH1632	15"	1/2"	HEX
RH2032	18"	5/8"	HEX

RETAINING RING PLIERS

CONVERTIBLE | INTERNAL AND EXTERNAL



528

PART #	INT/EXT	TIP	DEGREE	OAL
527	BOTH	.038	STRAIGHT	6"
527A	BOTH	.038	45°	6"
527B	BOTH	.038	90°	6"
528	BOTH	.047	STRAIGHT	6"
528A	BOTH	.047	45°	6"
528B	BOTH	.047	90°	6"
534	BOTH	.070	STRAIGHT	7-3/4"
534A	BOTH	.070	45°	7-3/4"
534B	BOTH	.070	90°	7-3/4"
535	BOTH	.090	STRAIGHT	9-1/2"
535A	BOTH	.090	45°	9-1/2"
535B	BOTH	.090	90°	9-1/2"

NOTE: TIPS ARE NOT GUARANTEED UNDER WARRANTY

LARGE EXTERNAL RETAINING RING PLIERS



517

PART #	INT/EXT	TIP	OAL
517	INTERNAL TIPS OPENED: 3-3/16" TIPS CLOSED: 11/16"	.120	15-11/16"
518	EXTERNAL TIPS OPENED: 3-1/8" TIPS CLOSED: 1/2"	.120	15-3/4"
517TS	REPLACEMENT TIPS – STRAIGHT		
517TS-90	REPLACEMENT TIPS - 90°		

NOTE: TIPS ARE NOT GUARANTEED UNDER WARRANTY

RETAINING RING PLIERS SETS



444K

PART #	INT/EXT	OAL
444K	BOTH	6-1/2"
		.038 BLACK – STRAIGHT, 15°, 45° & 90°
		.047 SILVER – STRAIGHT, 45° & 90°
		.070 GOLD – STRAIGHT
444T	TIPS ONLY FOR 444K	





537

537 PROFESSIONAL DOZEN SET
 COVERS INTERNAL AND EXTERNAL RINGS 1/4" TO 3-1/2"
 DIAMETERS - .038, .047, .070 & .090
 TIPS - STRAIGHT, 45° & 90°
 INCLUDES ONE EACH: 527, 527A, 527B, 528, 528A, 528B,
 534, 534A, 534B, 535, 535A & 535B



538


538 HEAVY DUTY SET W/ TIPS
 RATCHET LOCK ASSEMBLY
 .108 TIPS – STRAIGHT, 15°, 45° & 90°
 .120 TIPS – STRAIGHT, 15°, 45° & 90°
 LENGTH: 9-1/2" EACH

CONVERTIBLE RETAINING RING PLIERS – TOGGLE



1434

PART #	INT/EXT	OAL
1434	BOTH	8"
	EXTERNAL SIZES	1/4" TO 2"
	INTERNAL SIZES	3/8" TO 2"
	#1214 TIPS INCLUDED WITH #1434	



1434 Toggle Switch

1214	REPLACEMENT TIPS FOR #1434
	.036 BLACK – STRAIGHT & 90°
	.047 SILVER – STRAIGHT & 90°
	.070 COPPER – STRAIGHT



1214

ELECTRICAL WIRE STRIPPERS



540

540 OVERALL LENGTH: 9-1/2"
 STRIPPING FOR 22 TO 10 & .5MM TO 5.3MM
 BOLT CUTTING SAE SIZES: 6/32", 8/32" & 10/32"
 BOLT CUTTING ON METRIC SIZES: 3.5MM, 4MM & 5MM
 AWG & METRIC, FULL 1/2" SCISSOR TYPE CUTTING BLADES
 7-8MM AUTO IGNITION | AIR-CUSHIONED VINYL GRIPS

541 OVERALL LENGTH: 6"
 STRIPPING FOR 20 TO 10 & 0.8MM TO 2.6MM
 AWG & METRIC | WIRE SIZES EMBOSSED IN METAL
 AUTOMATIC RETURN SPRING WITH HANDLE LOCK



541

WRENCHES

INTERNAL PIPE WRENCHES

EXPANSION BLADE - LOOSENS OR TIGHTENS NIPPLES, PIPES & FITTINGS.



383

PART #	SIZE
380	1/2"
383	3/4"
385	1"

Internal Pipe Wrenches

Often used to remove shower head pipes that break at the surface. The bits expand inside the broken pipe when the screw is tightened and allow the user to remove the broken piece with a wrench or pair of pliers.

RATCHETING BOX END WRENCHES (SAE)



878



883

PART #	SIZE	OAL	POINT
873	1/4" x 5/16"	4-1/8"	6
874	3/8" x 7/16"	5-1/2"	6
875B	1/2" x 7/16"	6-3/4"	6
875	1/2" x 9/16"	6-3/4"	6
876	5/8" x 11/16"	8"	12
877	5/8" x 3/4"	8"	12
878	11/16" x 13/16"	9-1/4"	12
879	3/4" x 7/8"	9-1/4"	12
880	13/16" x 15/16"	9-1/4"	12
883	3-PIECE SET W/ VINYL KIT INCLUDES: 874, 875 & 876		
885	5-PIECE SET W/ VINYL KIT INCLUDES: 873, 874, 875, 876 & 879		

RATCHETING BOX END WRENCHES (METRIC)



863



PART #	SIZE	OAL	POINT
862	7MM x 8MM	4-1/4"	6
863	9MM x 10MM	5-1/2"	6
864	11MM x 12MM	6-7/8"	6
865	13MM x 14MM	6-7/8"	6
866	15MM x 17MM	8"	8
867	16MM x 18MM	8"	8
868	19MM x 21MM	9-1/4"	8
870	7-PIECE METRIC SET W/ VINYL KIT		

INCLUDES: 862-868

870

AIR CONDITIONING & REFRIGERATION RATCHETS



PART #	SIZE	POINT
900	3/8 x 5/16	SQUARE
	1/4" x 3/16"	SQUARE
990	1/4" x 3/16"	SQUARE
	9/16" x 1/2"	HEX

OFFSET RATCHET BOX END WRENCHES (SAE)



PART #	SIZE	OAL	PT
800	1/4" x 5/16"	4-1/8"	12
801	3/8" x 7/16"	5-1/4"	12
802	1/2" x 9/16"	6-1/2"	12
803	5/8" x 11/16"	7-5/8"	12
804	3/4" x 7/8"	8-3/4"	12



805	3-PIECE SET W/ VINYL KIT INCLUDES: 801, 802 & 803		
806	5-PIECE SET W/ VINYL KIT INCLUDES: 800, 801, 802, 803 & 804		

WILDE WIPES

PART #	# OF WIPES	SIZE OF WIPES	CASE
13300	70	8" x 7"	12/CASE

REMOVES: DIRT, HEAVY GREASE, OILS, INKS, WAX & LUBRICANTS

USES: HANDS, WORK SURFACE, TOOLS, PLASTICS, VINYL, METAL, BOATS & CARS



SCREWDRIVERS

WOODEN HANDLE SCREWDRIVERS



SW7-4

<u>PART #</u>	<u>TYPE</u>	<u>OAL</u>	<u>STOCK</u>
SW7-1	PHILLIPS #1	2-1/2"	3/16"
SW7-2	PHILLIPS #2	3"	1/4"
SW7-3	SLOTTED	3"	1/8"
SW7-4	SLOTTED	2-1/2"	3/16"
SW7-5	SLOTTED	5"	3/16"
SW7-6	SLOTTED	6"	1/4"
SW7-7	SLOTTED	7-1/2"	5/16"

SCREWDRIVER SETS



SW 7

<u>PART #</u>	
SW 7	7-PIECE WOODEN HANDLE SET W/ VINYL POUCH INCLUDES: SW7-1 – SW7-7
SW 8	7-PIECE MIXED SET W/ VINYL POUCH (5 SLOTTED & 2 PHILLIPS) INCLUDES: S43, S44, S64, S83, S85, P331 & P442
SW 9	7-PIECE SLOTTED SET W/ VINYL POUCH INCLUDES: S22, S25, S44, S46, S64, S85 & S86
SW10	5-PIECE PHILLIPS SET W/ VINYL POUCH INCLUDES: P142, P220, P331, P442 & P653

6-IN-1 QUICK CHANGE SCREWDRIVER



<u>PART #</u>	<u>OAL</u>
SW6	7-1/2"
CONTAINS:	3/16" AND 5/16" SLOTTED BITS #1 AND #2 PHILLIPS BITS 1/4" AND 5/16" NUT DRIVER

REVERSIBLE POCKET SCREWDRIVER W/ MAGNET



<u>PART #</u>	<u>OAL</u>
2032	5-1/2"
CONTAINS:	ONE END SLOTTED & ONE END PHILLIPS

SCREW EXTRACTORS SQUARE STOCK



98



90

<u>PART #</u>	<u>BOLT</u>	<u>PIPE</u>	<u>DRILL</u>	<u>OAL</u>
91	1/4" TO 5/16"	1/8"	1/8"	2-7/8"
92	3/8"	1/8"	3/16"	2-5/8"
93	7/16"	1/8"	7/32"	2-7/8"
94	1/2" TO 9/16"	1/4"	5/16"	3"
95	5/8"	3/8"	3/8"	3-1/4"
96	3/4"	1/2"	15/32"	3-7/8"
97	7/8"	1/2"	9/16"	4-1/2"
98	1" TO 1-1/8"	5/8"	21/32"	4-7/8"
99	1-1/4" TO 1-3/8"	3/4"	13/16"	5-3/8"
89	4-PIECE SET W/ VINYL POUCH (LARGE SIZES) INCLUDES: 96-99			
90	5-PIECE SET W/ VINYL POUCH (SMALL SIZES) INCLUDES: 91-95			

SCRATCH AWL



<u>PART #</u>	<u>OAL</u>	<u>BIT</u>
452	7"	1/4"

HEX KEY SET FOLD UP STYLE



PART #
 53R – 9-PC FOLD UP SET
 INCLUDES: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" & 1/4"

SERVICE TOOLS

HOOK AND PICK SET

<u>PART #</u>	<u>DESCRIPTION</u>
SHP904	4-PC HOOK & PICK SET.



VALVE LIFTERS



<u>PART #</u>	<u>DESCRIPTION</u>
600	SMALL ENGINE VALVE LIFTER FOR AIR OR WATER COOLED 4-CYCLE ENGINES, SPRING DIA. UP TO 1-1/16".
600-3A	SMALL JAW REPLACEMENT FOR #600.
600-3B	LARGE JAW REPLACEMENT FOR #600.

SHP 904

IGNITION GAUGES



<u>PART #</u>	<u>DESCRIPTION</u>
500	MASTER GAUGE. CONTAINS TWENTY-FIVE 1/2" WIDE BY 3" LONG BLADES.
501	STANDARD GAUGE. CONTAINS TEN 1/2" WIDE BY 3" LONG BLADES.
504	IGNITION GAUGE. CONTAINS TEN 1/4" WIDE BY 1-3/4" LONG BLADES.
510	MASTER IGNITION GAUGE. CONTAINS SIXTEEN 1/4" WIDE BY 1-3/4" LONG BLADES.



PICK UP TOOLS

<u>PART #</u>	<u>DESCRIPTION</u>
158A	MAGNETIC TELESCOPIC POCKET PICK UP TOOL. CLOSED LENGTH 5-1/2", EXTENDS TO 18-1/8". HANDLE AND HEAD MADE OF CHROME-PLATED BRASS. POCKET CLIP ATTACHED.
159A	MAGNETIC TELESCOPIC PICK UP TOOL. NEODYMIUM-IRON-BORON EXTRA HIGH FLUX MAGNET PICKS UP TO 1-1/2 LBS. CLOSED LENGTH 5-7/8", EXTENDS TO 25-9/16". POCKET CLIP ATTACHED.
162V	21-1/2" FLEXIBLE MAGNETIC PICK UP TOOL. KNURLED HANDLE. HOLDS FLEX. PICKS UP FERROUS METAL TO 1-1/2 LBS.
164V	17-1/2" FLEXIBLE MAGNETIC PICK UP TOOL. PLASTIC GRIPPED HANDLE.
692	8-1/2" MAGNETIC PICK UP TOOL. HEAD CONTAINS POWERFUL MAGNET.



694 27" MAGNETIC PICK UP TOOL. LENGTH IS 27" EXTENDED, 16" CLOSED.



<u>PART #</u>	<u>DESCRIPTION</u>
792	POCKET MAGNET PICK UP TOOL. 6" LONG. POCKET CLIP ATTACHED.
798	FLEXIBLE MECHANICAL FINGER. CAN BE USED AS TEMPORARY CLAMP FOR SMALL PIECES. CAN BE BENT INTO A "S" SHAPE OR AT 90° WITHOUT SPRING BACK. 15" REACH. 8" FLEXIBLE SECTION. 2 CLAWS.

MIRRORS



<u>PART #</u>	<u>DESCRIPTION</u>
142	INSPECTION MIRROR. TELESCOPIC HANDLE 10" TO 14" LENGTH. 2-1/4" DIAMETER MIRROR. BALL JOINT ADJUSTMENT.

142-1 REPLACEMENT GLASS FOR #142.



143 INSPECTION MIRROR. 8" LONG, 1-1/4" ROUND MIRROR, BALL JOINT ADJUSTMENT.

143A #143 WITH TELESCOPIC HANDLE. EXTENDS 4-1/2" TO 18-1/2".

143-1 REPLACEMENT GLASS FOR #143.



145 PLANE INSPECTION MIRROR. 7" LONG, 7/8" ROUND MIRROR, 135° FIXED POSITION, VINYL GRIP.



147A TELESCOPIC INSPECTION MIRROR, 4-1/2" TO 18" LONG, 7/8" ROUND MIRROR. DOUBLE BALL ADJUSTMENT HEAD WITH POCKET CLIP.

147A-1 REPLACEMENT GLASS FOR #147A.



151 TILTING INSPECTION MIRROR. SWINGS TO ANGLE DESIRED BY PRESSING PLUNGER, LOCKS AT ANY ANGLE AND RETURNS TO STRAIGHT POSITION BY TRIPPING LOCK. FULL 90° SWING TILT. 16-1/2" LONG, RECTANGLE MIRROR 1-11/16" X 2-9/16".

151P #151 WITH UNBREAKABLE PLASTIC MIRROR.

151-1 REPLACEMENT GLASS FOR #151.



152 TILTING INSPECTION MIRROR. SAME AS #151 EXCEPT IS 11" LONG WITH A 1-1/4" X 1-1/2" RECTANGULAR MIRROR.

152-1 REPLACEMENT GLASS FOR #152.



157 INSPECTION MIRROR. OVAL SHAPED. SPRING LOADED BALL SOCKET ADJUSTMENT. SPRING PRESSURE MAINTAINS ADJUSTMENT FOR ANY POSITION ON 360°. 8-1/2" LONG, 1" X 2" MIRROR.

157A #157 WITH A TELESCOPIC HANDLE. 4-1/2" EXPANDS TO 19-1/2".



Every hand tool in this catalog is manufactured and assembled in the U.S.A. with a lifetime warranty.

157-1 REPLACEMENT GLASS FOR #157.

Every hand tool in this catalog is manufactured and assembled in the U.S.A. with a lifetime warranty.

PLT 632	7	PP 832	7	PS 432	8	RS 432	8	SW 6	17
PLT 732	7	PP1032	7	PS 532	8	RS 532	8	SW 7	17
PLT 832	7	PP1232	7	PS 632	8	RS 632	8	SW7-1	17
PLT1032	7	PPL 3	10	PS 732	8	RS 732	8	SW7-2	17
PLT1232	7	PPL 632	7	PS 832	8	RS 832	8	SW7-3	17
PP 5	10	PPL 832	7	PS1032	8	RS1032	8	SW7-4	17
PP 232	7	PPL1032	7	PS1232	8	RS1232	8	SW7-5	17
PP 564	7	PR 832	7	RH1232-9	12	RS1432	8	SW7-6	17
PP 332	7	PR1032	7	RH1632	12	RS1632	8	SW7-7	17
PP 432	7	PR1232	7	RH2032	12	RS906	10		
PP 532	7	PR1632	7	RS 232	8	RS912	10		
PP 632	7	PS 232	8	RS 564	8	RS936	11		
PP 732	7	PS 332	8	RS 332	8	SHP904	19		

QUALITY HAND TOOLS SINCE 1922

